



**Lifetime
Warranty**







CHARACTERISTICS

- Fastening Flange System
- Fast & Easy Install
- Continuous Positive Engagement
- Optional Factory Notching
- Ultra Durable Kynar 500® Colors
- Superior AZ50 Corrosion Resistance
- Limited Lifetime Warranty

TESTING

- UL-580 Class 90 wind uplift
- UL-790 Class A fire rated
- UL-2218 Impact Resistance

TBC-PROSEAM



Seam Detail

TBC-PROSEAM represents the next generation of fastening-flange standing seam panels that have long been the preferred choice in the residential market. The redesigned seam offers a stronger and more durable engagement while the recessed flange eliminates fastener dimpling and telescoping. In addition, the factory notched panels offers contractors easy to installed hemmed eaves that are typical on the higher end commercial profiles.

TBC-PROSEAM is manufactured using high-grade AZ50 Galvalume® steel with Kynar 500®/ Hylar 5000® paint coatings that offer a combination of exceptional corrosion resistance coupled with industry leading color retention. Backed up by a limited lifetime warranty on residential applications TBC-PROSEAM is an excellent choice for both new construction and re-roofs.

Produced in both 26 and 24 gauge in lengths up to 50 feet with a recommended minimum slope is 3:12.

Flashing & Accessories

<p><u>Eave</u></p> <p>E-12</p>	<p><u>Modified Eave</u></p> <p>E-22</p>	<p><u>Peak</u></p> <p>P-14</p> <p>* Varies depending on roof slope</p>	<p><u>Sidewall</u></p> <p>SW-178</p>	<p><u>Gable</u></p> <p>G-1478</p>
--------------------------------	---	--	--------------------------------------	-----------------------------------

<p><u>Z Closure</u></p> <p>Z-11</p>	<p><u>Vented Endwall</u></p> <p>VEW-10</p>	<p><u>Endwall</u></p> <p>EW-10</p>	<p><u>Standard Ridge</u></p> <p>R-10</p>	<p><u>Vented Ridge</u></p> <p>VR-10</p>
-------------------------------------	--	------------------------------------	--	---

<p><u>Prow</u></p> <p>PR-104</p>	<p><u>Pitch Change - High/Low</u></p> <p>PCHL - 10</p>	<p><u>Pitch Change - Low/High</u></p> <p>PCLH - 10</p>	<p><u>Back Pan</u></p> <p>BP - 10</p>	<p><u>Valley</u></p> <p>V - 10</p>
----------------------------------	--	--	---------------------------------------	------------------------------------

<p><u>J Closure</u></p> <p>JC-1118</p>	<p><u>Perimeter Cleat</u></p> <p>PC - 10</p>	<p><u>Perforated Angle</u></p> <p>PA - 10</p>	<p><u>Offset Cleat</u></p> <p>OC - 10</p>	<p><u>J Flashing</u></p> <p>JF - 1118</p>
--	--	---	---	---

<p><u>Base</u></p> <p>B-1114</p>	<p><u>Outside Corner</u></p> <p>OS - 10</p>	<p><u>Inside Corner</u></p> <p>IS - 10</p>	<p><u>Modified Truss Screw</u></p> <p>#8 Sharp - Phillips 3/4", 1", 1-5/8"</p>	<p><u>Clip/Flange Screw</u></p> <p>#10 Sharp - Pancake/Phillips 1", 1-1/2"</p>
----------------------------------	---	--	--	--

<p><u>Wood Screw</u></p> <p>#10 Type S - w/ Washer 1", 1-1/2", 2"</p>	<p><u>Self Driller Screw</u></p> <p>#12 - #3 Point - w/ Washer 1", 1-1/2", 2"</p>	<p><u>Stitch Screw</u></p> <p>#12 x 3/4" Type A - w/ Washer</p>	<p><u>SD Stitch Screw</u></p> <p>1/4 x 7/8" #1 Point - w/ Washer</p>	<p><u>Rivet</u></p> <p>1/8" #43 Stainless</p>
---	---	---	--	---

<p><u>Butyl Mastic Tape</u></p> <p>5/32" x 1/4", 1/8" x 3/4", 3/32" x 3/8", 3/16" x 7/8"</p>	<p><u>Foam Closure</u></p>	<p><u>Pipe Flashing</u></p> <p>EPDM & Silicone 1/4" - 24" O/D</p>
--	----------------------------	---

